

Datos Personales


TECNICOELECTROMECHANICO

No. Identificación :	1717296519
Nombres :	CARLOS ANDRES
Apellidos :	SORIA VIZCAINO
Dirección :	URBANIZACION SAN FELIPE MZ 133 V8
Teléfono :	
Celular :	0980055849
Género :	MASCULINO
Estado Civil :	CASADO
Area de Estudio :	ING. ELÉCTRICA
Escolaridad :	UNIVERSITARIO
Fecha de Nacimiento :	0000-00-00

Resumen General

TECNICOELECTROMECHANICO ANÁLISIS DE ADECUACIÓN AL PUESTO AD - RAZONAMIENTO ABSTRACTO

	Sigla	Factor	Valor Obtenido	Promedio Proceso
1		Razonamiento Abstracto	5.00	5.00



Fecha de Evaluación

Fecha Inicio : 03 de Agosto del 2015

Hora Evaluación : 06:20:07

Tiempo Utilizado : 17 minuto(s) 06 segundo(s)

Interpretación

TECNICOELECTROMECHANICO ANÁLISIS DE ADECUACIÓN AL PUESTO AD - RAZONAMIENTO ABSTRACTO

Se trata de una persona que muestra un nivel **cercano a la media** en relación al grupo de referencia en RAZONAMIENTO ABSTRACTO, lo cual implica que es muy probable que tenga **alguna dificultad** para: Resolver problemas lógicos, de prever y planear, es un pensamiento que funciona imaginando, o resolviendo problemas en la mente. Implica reducir los componentes fundamentales de información de un fenómeno para conservar sus rasgos mas relevantes. También deduciendo ciertas consecuencias de la situación planteada. A nivel operativo se desempeñará con **cierta dificultad** en trabajos que requieran: Manejo de símbolos, anticipación, resolución de problemas, imaginación, detectar secuencias. A nivel ejecutivo se desempeñará con **cierta dificultad** en trabajos que requieran: Planeación, análisis lógico, proyección de futuro, manejo de patrones y estructuras.

Análisis por Pregunta

TECNICOELECTROMECHANICO ANÁLISIS DE ADECUACIÓN AL PUESTO

1

Image not readable or empty
../../../../evaluar_upload/grafcms/Arch_669.jpg

2

Image not readable or empty
../../../../evaluar_upload/grafcms/Arch_670.jpg

3

Image not readable or empty
../../../../evaluar_upload/grafcms/Arch_671.jpg

4

Image not readable or empty
../../../../evaluar_upload/grafcms/Arch_672.jpg

5

Image not readable or empty
../../../../evaluar_upload/grafcms/Arch_673.jpg

6

Image not readable or empty
../../../../evaluar_upload/grafcms/Arch_674.jpg

7

Image not readable or empty

../../../../B/evaluar_upload/grafcms/Arch_675.jpg

8

Image not readable or empty

../../../../A/evaluar_upload/grafcms/Arch_676.jpg

9

Image not readable or empty

../../../../C/evaluar_upload/grafcms/Arch_677.jpg

10

Image not readable or empty

../../../../E/evaluar_upload/grafcms/Arch_678.jpg

11

Image not readable or empty

../../../../C/evaluar_upload/grafcms/Arch_679.jpg

12

Image not readable or empty

../../../../A/evaluar_upload/grafcms/Arch_831.jpg

13

Image not readable or empty

14

Image not readable or empty
../../../../E/evaluar_upload/grafcms/Arch_682.jpg

15

Image not readable or empty
../../../../B/evaluar_upload/grafcms/Arch_683.jpg

16

Image not readable or empty
../../../../B/evaluar_upload/grafcms/Arch_927.jpg

17

Image not readable or empty
../../../../A/evaluar_upload/grafcms/Arch_833.jpg

18

Image not readable or empty
../../../../E/evaluar_upload/grafcms/Arch_928.jpg

19

Image not readable or empty
../../../../D/evaluar_upload/grafcms/Arch_687.jpg

20

Image not readable or empty
../../../../B/evaluar_upload/grafcms/Arch_688.jpg

21

Image not readable or empty

../../../../A/evaluar_upload/grafcms/Arch_689.jpg

22

Image not readable or empty

../../../../B/evaluar_upload/grafcms/Arch_690.jpg

23

Image not readable or empty

../../../../E/evaluar_upload/grafcms/Arch_691.jpg

24

Image not readable or empty

../../../../A/evaluar_upload/grafcms/Arch_692.jpg

25

Image not readable or empty

../../../../B/evaluar_upload/grafcms/Arch_693.jpg

26

Image not readable or empty

../../../../A/evaluar_upload/grafcms/Arch_834.jpg

27

Image not readable or empty

B

28

Image not readable or empty
../../../../**C**evaluar_upload/grafcms/Arch_696.jpg

29

Image not readable or empty
../../../../**E**/evaluar_upload/grafcms/Arch_929.jpg

30

Image not readable or empty
../../../../**A**evaluar_upload/grafcms/Arch_698.jpg

31

Image not readable or empty
../../../../**C**evaluar_upload/grafcms/Arch_699.jpg

32

Image not readable or empty
../../../../**B**evaluar_upload/grafcms/Arch_700.jpg

33

Image not readable or empty
../../../../**E**/evaluar_upload/grafcms/Arch_835.jpg

34

Image not readable or empty
../../../../**A**evaluar_upload/grafcms/Arch_836.jpg

35

Image not readable or empty
../../../../B/evaluar_upload/grafcms/Arch_703.jpg

36

Image not readable or empty
../../../../E/evaluar_upload/grafcms/Arch_704.jpg

37

Image not readable or empty
../../../../B/evaluar_upload/grafcms/Arch_705.jpg

38

Image not readable or empty
../../../../B/evaluar_upload/grafcms/Arch_706.jpg

39

Image not readable or empty
../../../../A/evaluar_upload/grafcms/Arch_707.jpg

40

Image not readable or empty
../../../../E/evaluar_upload/grafcms/Arch_708.jpg

